

SAMPLE

Complete Medical History

8464 Beach Blvd
 Jacksonville, FL 32216
 (904) 725-8766



Animal

Luci (JHS-A-58887)
 Domestic Shorthair Cat
 Black
 Spayed Female ← Sex and spay/neuter status
 10 months, 5 days old (DOB: 05/21/2019) ← Age
 8.96 lbs on 03/14/2020 ← Weight

Owner

Jacksonville Humane Society
 (904) 493-4595
 petsafetynet@jaxhumane.org
 8464 Beach Blvd
 Jacksonville, FL 32216

ID Numbers

Microchip #	Issued By	Issued Date
981020031623353 ← Microchip #	Found Animals ← Company of microchip, make sure to register immediately by visiting their website!	07/22/2019

Vaccines next due

03/03/2021	Rabies
03/03/2021	FVRCP

← Shows when vaccines are due again if the animal were to stay in a shelter environment. Adopters should follow up with their vet, as recommendations may differ, especially for puppies and kittens. Adopter is responsible for all post-adoption vaccines.

Vaccination history

Date	Vaccine	Vaccinated by	Veterinarian
03/03/2020	Rabies Rabvac 1 (Boehringer Ingelheim) Lot# 378125A (product exp.03/09/2021) SQ in Right hind leg	Southside Animal Clinic DVM	DVM Other Hospital
03/03/2020	FVRCP Fel-O-Guard Plus 3 (Boehringer Ingelheim) SQ in Right front leg	DVM Other Hospital	
08/08/2019	FVRCP Fel-O-Guard Plus 3 (Boehringer Ingelheim) SQ in Right front leg	Katie Young	
07/22/2019	FVRCP Fel-O-Guard Plus 3 (Boehringer Ingelheim) SQ in Right front leg	Sarah Sheffer	

Treatments next due

04/11/2020 0.18 mL Revolution (selamectin topical)

← Next due date for flea prevention. JHS uses Revolution. Adopters should follow vet's recommendations for flea prevention. Many can be bought over the counter.

Treatment history summary

Date	Treatment	Notes	Supervising veterinarian
03/28/2020	Pyrantel pamoate (50 mg/mL pyrantel pamoate oral suspension) 0.9 mL once a day	← Dewormer	
08/10/2019 - 08/17/2019	Feed Twice a day	Offer special wet food to encourage eating.	

03/26/2020 13:06

08/09/2019 - 08/17/2019 Doxycycline (doxycycline hyclate oral suspension)
0.2 mL once a day

08/05/2019 Pyrantel pamoate (pyrantel pamoate oral suspension)
0.19 mL once a day

07/22/2019 until further notice Revolution (selamectin topical)
0.18 mL every 28 days

Diagnostic tests

Date	Test	Results
03/14/2020	FeLV test SNAP FeLV (IDEXX)	Negative ←

FELV Test results. JHS only tests cats 6 months of age or older for FELV. Adopters should follow their vets' recommendations for any other testing.

Physical examinations ←

Physical exams that were completed in the shelter. Adopters should follow up with their own vets for all post-adoption care.

03/14/2020 Intake Exam by Jalyn Uhrmacher

Objective

Body condition score	5 - Ideal	Mucous membranes	Pink
Attitude	BAR	Pain	None

Eyes	Clear
Ears	Mild debris AU
Nose/Mouth/Dental	Nose- clear Mouth/dental- mild tartar build up
Integument	Healthy coat
Musculoskeletal	Ambulating well

Plan

MTA

08/09/2019 Tech exam by Katie Young

Subjective:

Presented for possible URI

Objective

weight 1.94 lbs

Nasal discharge and sneezing present on examination

Assessment

Feline URI

Plan

Treat in place (if mild) and recheck in 10 days.

Rx: Doxycycline 50 mg/ml - give 0.2 ml by mouth, once daily for 10 days

Offer special wet food and monitor appetite.

08/01/2019 Complete vet exam by Dr. Stan Hill DVM ←

Subjective:

Presented for surgery

Objective

weight 1.9 lbs

If the pet received spay/neuter surgery at JHS, they will also have received a brief vet exam.

Assessment

No significant abnormalities found.

Plan

Pet ok for surgery/adoption.

07/22/2019 Intake Exam by Sarah Sheffer

Objective

weight

1.9 lbs

Surgeries

Date	Surgery	Clinic	Veterinarian	Notes
08/01/2019	Spay - Feline	Jacksonville Humane Society	Dr. Stan Hill, DVM	TTDex 0.035ml/kg IM +0.02ml



Date surgery was completed. If surgery was completed within 10 days, follow post surgical instructions, which will be emailed to adopter. Important to keep surgery site dry and restrict activity. Surgery sites are closed with self-dissolving sutures, unless otherwise noted.

Laparotomy made via ventral midline incision through skin, subcutaneous tissues, and linea alba. Spay hook used to retrieve uterine horn, horn followed cranially to ovary, and ovary externalized after strumming of suspensory ligament. Ovarian pedicle ligated with pedicle tie ligature. Ovarian pedicle transected, checked for bleeding, then returned to the abdomen. Uterine horn followed distally to bifurcation, then opposite horn followed to second ovary. Ovary externalized after strumming of suspensory ligament. Ovarian pedicle ligated with pedicle tie ligature. Ovarian pedicle transected, checked for bleeding, then returned to the abdomen. Uterine body externalized and ligated with 3-0 Securox in a circumferential ligature. Uterine body transected, checked for bleeding, then returned to the abdomen. Linea closed with 3-0 Securox in cruciate mattress sutures, subcutaneous tissues and skin closed with 3-0 Securox in an inverted subcuticular pattern. A superficial skin incision made near the spay site and tattoo ink applied. Tissue glue applied over ink and surgery site sealing cutaneous incisions.